Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	136	machine adj vision and (vehicle adj wheel or tire)same align\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 16:54
L2	215	machine adj vision and (vehicle adj wheel or tire)and align\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 16:55
L3	159	L2 and (plurality or plural\$1)and(camera or ccd or sensor\$1 or detector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 16:55
L4	158	L3 and (align\$4 adj software or computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 16:56
L5	150	L4 and (movable or moved or motion or fixed)and(vehicle adj service or automobile adj service or device or apparatus or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 16:58
L6	25	L5 and(collision adj avoidance or collision adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:00
L7	1	L6 and optical adj target\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:01
L8	24	L6 and(@ad<"20030822" or @rlad<"20030822" or @prad<"20030822" or @ptad<"20030822")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:02
L9	1	L6 and @ad<"20030822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:02

L10	0.	L8 and vehicle adj service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR _	ON	2008/02/15 17:04
L11	150	L4 and (movable or moved or motion or fixed)and(vehicle adj service or device or apparatus or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:05
L12	25	L11 and(collision adj avoidance or collision adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:05
L13	1	L12 and optical adj target\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:05
L14	25	L12 and (optical adj target\$ or camera or ccd or sensor\$1 or detector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:07
L15	23	((DANIEL) near2 (DORRANCE)). INV.	US-PGPUB; USPAT	OR	ON	2008/02/15 17:08
L16	31	((TIMOTHY) near2 (STREGE)). INV.	US-PGPUB; USPAT	OR	ON	2008/02/15 17:08
L17	22	((LEIGH) near2 (BURNS)).INV.	US-PGPUB; USPAT	OR	ON	2008/02/15 17:08
L18	11	((MARK) near2 (SHYLANSKI)).INV.	US-PGPUB; USPAT	OR	ON	2008/02/15 17:08
L19	20	((THOMAS) near2 (GOLAB)).INV.	US-PGPUB; USPAT	OR	ON	2008/02/15 17:08
L21	. 14	L15 and machine adj vision and (vehicle adj wheel or tire)and align\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/02/15 17:09
L22	13	L21 and (plurality or plural\$1)and(camera or ccd or sensor\$1 or detector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:09

		LASI Scare		•		
L23	13	L22 and (align\$4 adj software or computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:10
L24	7	L23 and(movable or moved or motion or fixed)and vehicle adj service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:10
L25	1	L24 and(collision adj avoidance or collision adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:11
L26	1	L25 and optical adj target\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:11
L27	12	L16 and machine adj vision and (vehicle adj wheel or tire)and align\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:11
L28	9	L27 and (plurality or plural\$1)and(camera or ccd or sensor\$1 or detector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/02/15 17:11
L29	9	L28 and (align\$4 adj software or computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:11
L30	4	L29 and(movable or moved or motion or fixed)and vehicle adj service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:12
L31	1	L30 and(collision adj avoidance or collision adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/02/15 17:12
L32	1	L31 and optical adj target\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:12

				T	_	
L33	0	L32 and(@ad<"20030822" or @rlad<"20030822" or @prad<"20030822" or @ptad<"20030822")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:12
L34	17	L17 and machine adj vision and (vehicle adj wheel or tire)and align\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:12
L35	. 15	L34 and (plurality or plural\$1)and(camera or ccd or sensor\$1 or detector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:13
L36	15	L35 and (align\$4 adj software or computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:13
L37	5	L36 and(movable or moved or motion or fixed)and vehicle adj service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:13
L38	1	L37 and(collision adj avoidance or collision adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:13
L39	1	L38 and optical adj target\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:13
L40	11	L18 and machine adj vision and (vehicle adj wheel or tire)and align\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:13
L41	11	L40 and (plurality or plural\$1)and(camera or ccd or sensor\$1 or detector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2008/02/15 17:13
L42	11	L41 and (align\$4 adj software or computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:14

L43	6	L42 and(movable or moved or motion or fixed)and vehicle adj service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:14
L44	1	L43 and(collision adj avoidance or collision adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:14
L45	1	L44 and optical adj target\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:14
L46	12	L19 and machine adj vision and (vehicle adj wheel or tire)and align\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:15
L47	12	L46 and (plurality or plural\$1)and(camera or ccd or sensor\$1 or detector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:15
L48	6	L47 and(movable or moved or motion or fixed)and vehicle adj service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:15
L49	1	L48 and(collision adj avoidance or collision adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:15
L50	1	L49 and optical adj target\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/15 17:15
L51	3371	382/103,141,151,142,143,116, 154.CCLS.	USPAT	OR	ON	2008/02/15 17:17
L52	0	364/559.CCLS.	USPAT	OR	ON	2008/02/15 17:17
L53	293	348/94,95.CCLS.	USPAT	OR	ON	2008/02/15 17:17
L54	102	29/273.CCLS.	USPAT	OR	ON	2008/02/15 17:17
L55	962	33/288,203,15,203.18.CCLS.	USPAT	OR	ON	2008/02/15 17:18
L56	1324	356/138,139,152,153,155,139.09. CCLS.	USPAT	OR	ON	2008/02/15 17:18

				-		·
L57	7	L51 and machine adj vision and (vehicle adj wheel or tire)and align\$4	USPAT	OR	ON	2008/02/15 17:19
L58	7	L57 and (plurality or plural\$1)and(camera or ccd or sensor\$1 or detector\$1)	USPAT	OR	ON	2008/02/15 17:19
L59	0	L58 and(movable or moved or motion or fixed)and vehicle adj service	USPAT	OR .	ON	2008/02/15 17:20
L60	0	L58 and(collision adj avoidance or collision adj system)	USPAT	OR	ON	2008/02/15 17:20
L62	2	L58 and optical adj target\$1	USPAT	OR	ON	2008/02/15 17:20
L64	2	L62 and(@ad<"20030822" or @rlad<"20030822" or @prad<"20030822" or @ptad<"20030822")	USPAT	OR	ON	2008/02/15 17:21
L65	0	L64 and (movable or moved or motion or fixed)and vehicle adj service	USPAT	OR	ON	2008/02/15 17:23
L66	0	L52 and machine adj vision and (vehicle adj wheel or tire)and align\$4	USPAT	OR	ON	2008/02/15 17:24
L67	2	L53 and machine adj vision and (vehicle adj wheel or tire)and align\$4	USPAT	OR	ON	2008/02/15 17:24
L68	2	L67 and (plurality or plural\$1)and(camera or ccd or sensor\$1 or detector\$1)	USPAT	OR	ON	2008/02/15 17:24
L69	0	L68 and(movable or moved or motion or fixed)and vehicle adj service	USPAT	OR	ON	2008/02/15 17:24
L70	0	L68 and(collision adj avoidance or collision adj system)	USPAT	OR	ON	2008/02/15 17:24
L71	0	L68 and optical adj target\$1	USPAT	OR	ON	2008/02/15 17:25
L72	. 2	L54 and machine adj vision and (vehicle adj wheel or tire)and align\$4	USPAT	OR	ON	2008/02/15 17:25
L73	2	L72 and (plurality or plural\$1)and(camera or ccd or sensor\$1 or detector\$1)	USPAT	OR	ON	2008/02/15 17:25
L74	0	L73 and(movable or moved or motion or fixed)and vehicle adj service	USPAT	OR	ON	2008/02/15 17:26
L75	0	L73 and(collision adj avoidance or collision adj system)	USPAT	OR	ON	2008/02/15 17:26
L76	0	L73 and optical adj target\$1	USPAT	OR	ON	2008/02/15 17:26

L77	26	L55 and machine adj vision and (vehicle adj wheel or tire)and align\$4	USPAT	OR	ON	2008/02/15 17:28
L78	21	L77 and (plurality or plural\$1)and(camera or ccd or sensor\$1 or detector\$1)	USPAT	OR	ON	2008/02/15 17:28
L79	2	L78 and(movable or moved or motion or fixed)and vehicle adj service	USPAT	OR	ON .	2008/02/15 17:28
L80	0	L79 and(collision adj avoidance or collision adj system)	USPAT	OR	ON	2008/02/15 17:28
L81	1	L79 and optical adj target\$1	USPAT	OR	ON	2008/02/15 17:28
L82	28	L56 and machine adj vision and (vehicle adj wheel or tire)and align\$4	USPAT	OR	ON	2008/02/15 17:29
L83	21	L82 and (plurality or plural\$1)and(camera or ccd or sensor\$1 or detector\$1)	USPAT	OR	ON	2008/02/15 17:29
L84	1	L83 and(movable or moved or motion or fixed)and vehicle adj service	USPAT	OR	ON	2008/02/15 17:30
L85	0	L84 and(collision adj avoidance or collision adj system)	USPAT	OR	ON	2008/02/15 17:30
L86	0	L84 and optical adj target\$1	USPAT	OR	ON	2008/02/15 17:30
L87	0	(machine adj vision and(vehicle adj wheel or tire)and align\$4 and (plurality or plural\$1)and(camera or ccd or sensor\$1 or detector\$1)and(movable or moved or motion or fixed)and vehicle adj service and(collision adj avoidance or collision adj system)and optical adj target\$1).CLM.	US-PGPUB	OR	ON	2008/02/15 17:33

2/15/08 5:33:27 PM
C:\Documents and Settings\SChawan\My Documents\EAST\Workspaces\6644.wsp